

SAFETY DATA SHEET

2017-1-26

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910. 1200.

Standard must be consulted for specific requirements.

Occupational Safety and Health Administration

(Non-Mandatory Form)

U.S. Department of Labor

Form Approved OMB No.1218-0072

§ 1 - IDENTITY INFORMATION

Stand Linseed Oil O 522 Product Name (as used on label and list):

> HOLBEIN Works, Ltd. Manufacturer:

> > 2-2-5, Ueshio, Chuo-ku, Osaka-shi Address:

> > > **OSAKA 542-0064 JAPAN**

Telephone Number for information: 81-6-6191-7722 Emergency Telephone Number: 81-72-985-1221

> Preparer: ALAKI, Yutaka

§ 2 - HAZARD IDENTIFICATION

Classification: Non-regulated (designated combustible liquid)

Combustible at high temperature. Mentioned about Danger:

spontaneous combustion when absorbed in wastes or rags.

Skin Irritation: Category 3

Category 2B (to some persons) Eye Effects:

Hazard information: Especially none

§ 3 - COMPOSITION / INGREDIENTS

Substance/Mixture: Vegetable drying oil

Components (Specific Chemical Identity, Common Name(s)) CAS No.

Vegetable Drying Oil CH2—OCOR

67746-08-1

CH-OCOR

CH2—OCOR

(Triglyceride of Linoleic acid, Linolenic acid Oleic acid or Palmitic acid)

§ 4 - FIRST AID MEASURES

General advice: Raw material is food.

> Inhalation: This product is not inhaled.

Plenty amount of ingestion may induce diarrhea. If you feel unwell, Ingestion:

seek medical advice.

In case of eye contact, rinse with plenty of water and consult an eye Eyes:

specialist if necessary.

Skin Contact: Upon skin contact, wash with water, soap or other non-irritating

cleansing agents.

§ 5 - FIRE AND EXPLOSION HAZARD DATA

Flammability: Combustible Flash Point: >300 °C

Extinguishing Method: Take off fire or other flammable materials, and use with

extinguishing tools.

Extinguishing Media: Foam, Dry powder, CO2

Unusual Fire and Explosion Hazards: Oil dries by oxygen. Rags or waste soaked by oil may

spontaneously catch fire if improperly discarded. Not exclusive.

§ 6 - ACCIDENTAL RELEASE MEASURES

Step to Be Taken in Case Material Is Released or Spilled: Take up with absorbent materials.

Prevention of Secondary Disaster: Take off fire or other flammable materials.

Personal Consideration: Especially none

Environmental Precautions: Prevent spills from entering storm sewers or drains (Drying oil may

cause of clogging).

§ 7 - HANDLING AND STORAGE

Precautions to Be Taken in Handling and Storing: Especially none

Storage Requirements: Keep from fire or flammable materials. Do not allow product

temperature to rise high. Close the cap tightly.

Handling Procedures/Equipment: Treat as paint product.

§ 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use mechanical ventilation when applying.

Personal Protection: Especially none

§ 9 - PHYSICAL / CHEMICAL CHARACTERISTICS

Appearance: Clear yellow liquid

Odor: Oily smell

pH: N/A

Boiling Point: -

Specific Gravity ($H_2O = 1$): 0.96

Solubility in Water: Insoluble

§ 10 - HAZARD INFORMATION AND STABILITY

Physical Dangers: Combustible

Stability: Stable under normal state

Reactivity: None

Byproducts: Carbon dioxide, water

Hazardous Decomposition or Byproducts: Products small amount of peroxides or aldehydes

while dry or under high temperature.

In case of fire, forms carbon dioxide and water.

Incompatibility (Materials to Avoid): None

Corrosive Behavior: None

§ 11 - TOXICOLOGICAL INFORMATION

Primary Routes of Entry: Dermal, swallowing

Oral Toxicity (LD50): N/A

Inhalation Toxicity: This product is not inhaled.

Effects of Acute Exposure: None known

Eye irritation: Usually non irritant (tested on rabbit eyes). May irritant for

some persons.

Skin irritation: Usually non irritant. Allergic for some persons.

Repeated Exposure: No special data available

Sensitization, Reproductive Toxicity, Mutagenicity, Carcinogenicity, Teratogenicity:

No data available

§ 12 - ECOLOGICAL INFORMATION

Not been confirmed

§ 13 - DISPOSAL CONSIDERATIONS

Disposal Considerations: To be incinerated.

Waste Disposal Method: Stained cloths or papers which has been used to wipe or so on are

so flammable that they had better been wetted with water.

§ 14 - TRANSPORT INFORMATION

Hazard Class: Non-regulated

UN Number: N/A

Package Group: Out of Category

§ 15 - REGULATORY INFORMATION

Conforms to ACMI, Art & Creative Materials Institute, under ASTM D 4236

Industrial Safety and Health Law: Combustible oil

Fire Service Law: Designated combustible liquid

High Pressure Gas Safety Law: N/A

§ 16 - OTHER INFORMATION

Notice: The information of this sheet is based on the present state of our knowledge and does not therefore guarantee certain properties.