



SAFETY DATA SHEET

2024-7-19

May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910. 1200.
Standard must be consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved OMB No.1218-0072

§ 1 - IDENTITY INFORMATION

Product Name (as used on label and list) : **O 517 Sun Thickened Poppy Oil**

Manufacturer : HOLBEIN Works, Ltd.
Address : 1-3-14, Hishiya-nishi, Higashi-osaka-shi
OSAKA 577-0807, JAPAN
Telephone Number for information : 81-6-6191-7722
Emergency Telephone Number : 81-72-985-1222 (HOLBEIN Labo, Ltd.)
Preparer : ALAKI, Yutaka

§ 2 - HAZARD IDENTIFICATION

Classification : Non-regulated (designated combustible liquid)
Danger : Combustible at high temperature. Mentioned about spontaneous
combustion when absorbed in wastes or rags.
Hazard information : Especially none

§ 3 - COMPOSITION / INGREDIENTS

Substance/Mixture : Vegetable drying oil

Components (Specific Chemical Identity, Common Name(s)) CAS No.

	CH ₂ —OCOR	
Polymerized Poppy Oil	CH—OCOR	N/A
	CH ₂ —OCOR	

Polymerized vegetable drying oil (Triglyceride of Linoleic acid, Linolenic acid Oleic acid or Palmitic acid) by solar exposure.

§ 4 - FIRST AID MEASURES

General advice : Raw material is food.
Inhalation : This product is not inhaled.
Ingestion : Plenty amount of ingestion may induce diarrhea. If you feel unwell,
seek medical advice.
Eyes : In case of eye contact, rinse with plenty of water and consult an eye
specialist if necessary.
Skin Contact : Upon skin contact, wash with water, soap or other non-irritating
cleansing agents.

§ 5 - FIRE AND EXPLOSION HAZARD DATA

Flammability : Combustible
Flash Point : >300 °C
Extinguishing Method : Take off fire or other flammable materials, and use with
extinguishing tools.

Extinguishing Media : Foam, Dry powder, CO₂
 Unusual Fire and Explosion Hazards : Oil dries by oxygen. Rags or waste soaked by oil may spontaneously catch fire if improperly discarded. Not exclusive.

§ 6 - ACCIDENTAL RELEASE MEASURES

Step to Be Taken in Case Material Is Released or Spilled : Take up with absorbent materials.
 Prevention of Secondary Disaster : Take off fire or other flammable materials.
 Personal Consideration : Especially none
 Environmental Precautions : Prevent spills from entering storm sewers or drains (Drying oil may cause of clogging).

§ 7 - HANDLING AND STORAGE

Precautions to Be Taken in Handling and Storing : Especially none
 Storage Requirements : Keep from fire or flammable materials. Do not allow product temperature to rise high. Close the cap tightly.
 Handling Procedures/Equipment : Treat as paint product.

§ 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls : Use mechanical ventilation when applying.
 Personal Protection : Especially none

§ 9 - PHYSICAL / CHEMICAL CHARACTERISTICS

Appearance : Clear yellow-brown liquid
 Odor : Oily smell
 pH : N/A
 Boiling Point : —
 Specific Gravity (H₂O = 1) : 0.95
 Solubility in Water : Insoluble

§ 10 - HAZARD INFORMATION AND STABILITY

Physical Dangers : Combustible
 Stability : Stable under normal state
 Reactivity : None
 Byproducts : Carbon dioxide, water
 Hazardous Decomposition or Byproducts : Products small amount of peroxides or aldehydes while dry or under high temperature.
 In case of fire, forms carbon dioxide and water.
 Incompatibility (Materials to Avoid) : None
 Corrosive Behavior : None

§ 11 - TOXICOLOGICAL INFORMATION

Primary Routes of Entry : Dermal, swallowing
 Oral Toxicity (LD₅₀) : N/A
 Inhalation Toxicity : This product is not inhaled.
 Effects of Acute Exposure : None known
 Eye irritation : Usually non irritant (tested on rabbit eyes). May irritant for some persons.
 Skin irritation : Usually non irritant. Allergic for some persons.
 Repeated Exposure : No special data available
 Sensitization, Reproductive Toxicity, Mutagenicity, Carcinogenicity, Teratogenicity : No data available

§ 12 - ECOLOGICAL INFORMATION

Not been confirmed

§ 13 - DISPOSAL CONSIDERATIONS

Disposal Considerations : To be incinerated.
Waste Disposal Method : Stained cloths or papers which has been used to wipe or so on are so flammable that they had better been wetted with water.

§ 14 - TRANSPORT INFORMATION

UN Proper Shipping Name : N/A
Hazard Class : Non-regulated
UN Number : N/A
Package Group : Out of Category

§ 15 - REGULATORY INFORMATION

Conforms to ACMI, Art & Creative Materials Institute, under ASTM D 4236

Industrial Safety and Health Law : Combustible oil
Fire Service Law : Non-regulated
High Pressure Gas Safety Law : N/A

§ 16 - OTHER INFORMATION

Notice: The information of this sheet is based on the present state of our knowledge and does not therefore guarantee certain properties.